SDPharm**Labs**

PharmLabs San Diego Certificate of Analysis

3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-0000098-LIC ISO/IEC 17025:2017 Acc. L17-427-1#85368

Sample 50mg HHC Caramel

 Sample ID
 SD230912-008 (84343)
 Matrix
 Edible (Other Cannabis Good)

 Tested for River Bluff CBD
 Sampled Received Sep 11, 2023
 Reported Sep 15, 2023

 Analyses secuted CANX, QARUSH
 Unit Mass (g) 19,298
 19,298


CANX - Cannabinoids Analysis

Analyzed Sep 15, 2023 | Instrument HPLC-VWD | Method

The expanded Uncertainty of the Cannabinoid analysis is approximately 4.806% at the 95% Confidence Level

| it the 75 | 70 COIIIIC | acrice Le | VCI | |
|-------------|--|---------------------|----------------|-------------------|
| LOD mg/g | LOQ mg/g | Result % | Result mg/g | Result mg/Unit |
| 0.013 | 0.041 | ND | ND | ND |
| 0.002 | 0.007 | ND | ND | ND |
| 0.01 | 0.031 | ND | ND | ND |
| 0.012 | 0.036 | ND | ND | ND |
| 0.007 | 0.021 | ND | ND | ND |
| 0.001 | 0.16 | ND | ND | ND |
| 0.001 | 0.16 | ND | ND | ND |
| 0.001 | 0.16 | ND | ND | ND |
| 0.001 | 0.16 | ND | ND | ND |
| 0.013 | 0.041 | ND | ND | ND |
| 0.025 | 0.075 | ND | ND | ND |
| 0.001 | 0.16 | ND | ND | ND |
| 0.021 | 0.064 | ND | ND | ND |
| 0.005 | 0.16 | ND | ND | ND |
| 0.013 | 0.038 | ND | ND | ND |
| 0.001 | 0.16 | ND | ND | ND |
| 0.015 | 0.047 | ND | ND | ND |
| 0.005 | 0.16 | ND | ND | ND |
| 0.003 | 0.16 | ND | ND | ND |
| 0.004 | 0.16 | ND | ND | ND |
| 0.015 | 0.16 | ND | ND | ND |
| 0.017 | 0.16 | 0.08 | 0.83 | 16.02 |
| 0.007 | 0.16 | ND | ND | ND |
| 0.016 | 0.16 | 0.17 | 1.69 | 32.61 |
| 0.001 | 0.16 | ND | ND | ND |
| 0.024 | 0.071 | ND | ND | ND |
| 0.014 | 0.043 | ND | ND | ND |
| 0.017 | 0.16 | ND | ND | ND |
| 0.041 | 0.16 | ND | ND | ND |
| 0.005 | 0.16 | ND | ND | ND |
| 0.076 | 0.16 | ND | ND | ND |
| 0.031 | 0.094 | ND | ND | ND |
| 0.066 | 0.16 | ND | ND | ND |
| 0.026 | 0.079 | ND | ND | ND |
| 0.005 | 0.16 | ND | ND | ND |
| 0.008 | 0.025 | ND | ND | ND |
| 0.067 | 0.204 | ND | ND | ND |
| | | NT | NT | NT |
| 0.002 | 0.16 | ND | ND | ND |
| 0.039 | 0.16 | ND | ND | ND |
| | | ND | ND | ND |
| | | ND | ND | ND |
| | | ND | ND | ND |
| | | ND | ND | ND |
| | | 0.25 | 2.52 | 48.63 |
| | | 0.25 | 2.52 | 48.63 |
| | mm/g 0.013 0.002 0.011 0.001 | New York New York | New Norm | New Person |

Sample photography



UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
4.0Q Detected
>ULOL Above upper limit of linearity
CFU/g Colonyl Forming Units per 1 gram
TNTC Too Numerous to Count





Authorized Signature

Brandon Starr

Brandon Starr, Lab Manager Fri, 15 Sep 2023 10:44:07 -0700

